

TECHNOBALE





The TechnoBale's fully adjustable arm is designed to give the bale a spin before picking it up, so you can follow the path of the baler without time-consuming and damaging cross-tracking. You can adjust everything from the arm to the bale guides on the TechnoBale to fit your preferred bale size, from 4x4 to 6x5, for safe and simple operation. The convenient hydraulics are designed to work with most tractors' available hydraulics, moving from the loading cycle to the unloading cycle with the flip of a switch.

With three models to choose from the TechnoBale helps you line up bales in rows ready for wrapping or storage. The 900 can handle 3-5 bales easily transporting them from the field. The 900 also features built in counterweight mounts for increased stability. The 960 model lets you pick up 8 or 9 bales wet or dry, then unload them two wide. For increased capacity the new 980 model is capable of carrying up to 10 or 11 bales.

The TechnoBale's exclusive low-profile design not only makes it easier to see the road behind the wagon, but also keeps the loading arm in full view of the operator throughout the loading cycle. This makes the TechnoBale easy to use, productive and fast.



Quickly unload bales in a row.



Hydraulic Cylinders raise the bed up to 45 degrees to gently unload bales.



You can adjust everything from the arm to the bale guides on the Tube-Line Techno-Bale.



Better rear view with low profile design.



Scissor style pusher reduces cycle time.



Pickup arm gently spins bale into position.







TECHNO BALE

550

SPECIFICATIONS	900
Remote Outlets Required	2
Horsepower Requirement	35 HP min
Tires	11x15
Shipping Width	7'10"
Operating Width	7'10"
Weight	3000 lb
Bale Size	4x4 to 5x5

SPECIFICATIONS	960
Remote Outlets Required	2
Horsepower Requirement	60 HP min
Tires	12.5x15
Shipping Width	9'8"
Operating Width	10'5"
Weight	4735 lb
Bale Size	4x4 to 5x5

TechnoBale 960 carries eight 4 ft.

bale on the loader arm.

bales on the bed and one additional



TechnoBale 980 carries eight 5	
ft. or ten 4 ft. bales on the bed	
while carrying one additional	
bale on the loader arm.	

SPECIFICATIONS	980
Remote Outlets Required	2
Horsepower Requirement	120 HP min
Tires	32\ 15.50x16.5
Shipping Width	10'
Operating Width	12'
Weight	8100 lb
Bale Size	4x4 to 6x5

